



Facility

Name: *Midwest NMCAP Adelino Head Start* **License Number:** *94704*
Address: *2747 Highway 47, Los Lunas, NM 87031*
Phone: *5058646700* **Fax:** **E-mail:** *n/a*

License Information

Type: *3 Star FOCUS Child Care Center* **Status:** *Licensed* **Issue Date:** *08/13/2018* **Expiration Date:** *08/12/2019*

Capacity

Over Age 2: *95* **Under Age 2:** *0* **Night Care:** *0* **Playground:** *95*
Square Footage: *0*

Census

Over 2: *60* **Under 2:** *0*

Classrooms

Number of Classrooms: *6*

Days and Hours of Operation

Monday <i>8:00 AM - 4:00 PM</i>	Tuesday <i>8:00 AM - 4:00 PM</i>	Wednesday <i>8:00 AM - 4:00 PM</i>	Thursday <i>8:00 AM - 4:00 PM</i>	Friday <i>8:00 AM - 4:00 PM</i>
Saturday <i>Closed</i>	Sunday <i>Closed</i>			

Inspection

Date: *10/30/2018* **Time In:** *9:45 AM* **Time Out:** *12:45 PM* **Purpose:** *Semi-Annual*

Licensure

8.16.2.11 A Types of Licenses	<i>Not Inspected</i>
8.16.2.11 B Renewal of License	<i>Not Inspected</i>
8.16.2.11 D Non-transferable Restrictions of License	<i>Not Inspected</i>
8.16.2.12 A, K, M Licensing Actions and Administrative Appeals	<i>Not Inspected</i>
8.16.2.17 E, F Surveys for Child Care Facilities	<i>Not Inspected</i>
8.16.2.18 D Complaints	<i>Not Inspected</i>
8.16.2.21 A Licensing Requirements	<i>Compliance</i>
8.16.2.21 B Capacity of Centers	<i>Compliance</i>

Administrative Requirements (*continued*)

8.16.2.21 C Incident Reporting Requirements *Not Inspected*

Administrative Requirements

8.16.2.22 A Administrative Records *Compliance*

8.16.2.22 B Mission, Philosophy and Curriculum Statement *Not Inspected*

8.16.2.22 C Policy and Procedures *Not Inspected*

8.16.2.22 D Family Handbook *Not Inspected*

8.16.2.22 E Children's Records *Compliance*

8.16.2.22 F Personnel Records *Compliance*

8.16.2.22 G Personnel Handbook *Not Inspected*

Personnel & Staffing

8.16.2.23 A Personnel and Staffing Requirements *Compliance*

8.16.2.23 B Staff Qualifications and Training *Compliance*

8.16.2.23 C Staff/Child Ratios and Group Sizes *Compliance*

Services & Care of Children

8.16.2.24 A Guidance *Compliance*

8.16.2.24 B Naps or Rest Period *Not Inspected*

8.16.2.24 C Additional Requirements for Infants and Toddlers *N/A*

8.16.2.24 D Diapering and Toileting *Compliance*

8.16.2.24 E Additional Requirements for Children with Special Needs *Compliance*

8.16.2.24 F Additional Requirements for Night Care *N/A*

8.16.2.24 G Physical Environment *Compliance*

8.16.2.24 H Social-Emotional Responsive Environment *Compliance*

8.16.2.24 I Equipment and Program *Compliance*

8.16.2.24 J Outdoor Play Areas *Compliance*

8.16.2.24 K Swimming, Wadding and Water *N/A*

8.16.2.24 L Field Trips *Not Inspected*

Food Service

8.16.2.25 B Meals and Snacks *Compliance*

Food Service (continued)

8.16.2.25 C Menus	Compliance
8.16.2.25 D Kitchens	Compliance
8.16.2.25 E Meal Times	Compliance

Health & Safety Requirements

8.16.2.26 A Hygiene	Compliance
8.16.2.26 B First Aid Requirements	Compliance
8.16.2.26 C Medication	Compliance
8.16.2.27 A-D Illness Requirements for Centers	Compliance
8.16.2.28 A-H Transportation Requirements for Centers	Not Inspected

Buildings, Grounds & Safety

8.16.2.29 A Housekeeping	Non-compliance
--------------------------	-----------------------

The Fixtures are not in good repair as evidenced by flickering light bulbs in room #6.

Corrective Action Plan

Repairs will be completed and a system for routine inspection of the center and premises will be established.

Regulation: 8.16.2.29.A.1.

Date to be Completed: 11/29/2018

8.16.2.29 B Pest Control	Compliance
8.16.2.29 C Mechanical Systems	Compliance
8.16.2.29 D Water and Waste	Compliance
8.16.2.29 E Lighting, Lighting Fixtures and Electrical	Non-compliance

The center does not have emergency lighting that turns on automatically when electrical service is disrupted. Emergency exit lighting in rooms #3 and #5 did not turn on when tested.

Corrective Action Plan

Emergency lighting will be installed.

Regulation: 8.16.2.29.E.2.

Date to be Completed: 11/29/2018

8.16.2.29 F Exits and Windows	Compliance
8.16.2.29 G Toilet and Bathing Facilities	Compliance
8.16.2.29 H Safety Compliance	Compliance

Buildings, Grounds & Safety (continued)

8.16.2.29 I Smoking, Firearms, Alcoholic Beverages, Illegal Drugs and Controlled Substances *Compliance*

8.16.2.29 J Pets *N/A*

Additional Comments

None

Signatures

Please Note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans noted above, may result in further action taken against the licensee.



Surveyor: *Mark Prizzi*



Facility Representative: *Griselda Ramirez*